

X-KAN: Optimizing Local Kolmogorov-Arnold Networks via Evolutionary Rule-Based Machine Learning

Hiroki Shiraishi¹, Hisao Ishibuchi^{2*} and Masaya Nakata^{1*}

¹Faculty of Engineering, Yokohama National University

²Department of Computer Science and Engineering, Southern University of Science and Technology
shiraishi-hiroki-yw@ynu.jp, hisao@sustech.edu.cn, nakata-masaya-tb@ynu.ac.jp

Abstract

Function approximation is a critical task in various fields. However, existing neural network approaches struggle with locally complex or discontinuous functions due to their reliance on a single global model covering the entire problem space. We propose X-KAN, a novel method that optimizes multiple local Kolmogorov-Arnold Networks (KANs) through an evolutionary rule-based machine learning framework called XCSF. X-KAN combines KAN's high expressiveness with XCSF's adaptive partitioning capability by implementing local KAN models as rule consequents and defining local regions via rule antecedents. Our experimental results on artificial test functions and real-world datasets demonstrate that X-KAN significantly outperforms conventional methods, including XCSF, Multi-Layer Perceptron, and KAN, in terms of approximation accuracy. Notably, X-KAN effectively handles functions with locally complex or discontinuous structures that are challenging for conventional KAN, using a compact set of rules (average 7.2 rules). These results validate the effectiveness of using KAN as a local model in XCSF, which evaluates the rule fitness based on both accuracy and generality. Our X-KAN implementation and an extended version of this paper, including appendices, are available at <https://doi.org/10.48550/arXiv.2505.14273>.

1 Introduction

Function approximation is a crucial task in various industrial fields, including control system design and signal processing [Bao *et al.*, 2022; Mirza *et al.*, 2024]. The function approximation problem addressed in this paper aims to discover the most suitable approximation function for given data points, and can be formalized as follows:

$$\text{Given: } \mathcal{D} = \{(\mathbf{x}_i, y_i) \in [0, 1]^n \times \mathbb{R} \mid i = 1, \dots, M\}, \quad (1)$$

$$\text{Find: } \hat{f} = \arg \min_{\hat{f}} \sum_{i=1}^M \mathcal{L}(y_i, \hat{f}(\mathbf{x}_i)), \quad (2)$$

*Corresponding authors.

where \mathcal{D} is a training dataset, n is the input dimensionality, M is the total number of data points in \mathcal{D} , $\hat{f} : \mathbb{R}^n \rightarrow \mathbb{R}$ is the approximation function, and $\mathcal{L} : \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}_0^+$ is the loss function. The difficulty of this problem becomes particularly evident when dealing with functions that exhibit strong nonlinearity or data with complex structures.

Multi-Layer Perceptrons (MLPs) [Cybenko, 1989], a type of neural networks, have been widely studied as a representative approach to function approximation. MLPs have been proven to approximate any continuous function with arbitrary precision using fixed nonlinear activation functions [Hornik *et al.*, 1989]. Their effectiveness has been demonstrated in various fields, including modeling complex physical phenomena, image recognition, and recent large-scale language models [de Zarzà *et al.*, 2023; Preen *et al.*, 2021; Narayanan *et al.*, 2021]. However, their reliance on fixed nonlinear activation functions often requires large numbers of parameters to approximate complex functions effectively, which leads to inefficiencies [Mohan *et al.*, 2024].

Kolmogorov-Arnold Networks (KANs) [Liu *et al.*, 2024], inspired by the Kolmogorov-Arnold representation theorem [Kolmogorov, 1961; Arnol'd, 1957], have recently been proposed as a promising alternative. Unlike MLPs, KANs utilize spline-based learnable activation functions, enabling them to achieve higher parameter efficiency and scalability for irregular functions. KANs have shown superior performance in diverse applications such as image processing, time series prediction, and natural language processing [Cheon, 2024; Somvanshi *et al.*, 2024; Livieris, 2024]. Given their early successes, KANs are expected to attract increasing attention for a wide range of applications [Xu *et al.*, 2024].

Despite their advantages, KANs share a common limitation with MLPs: they rely on a single global model to approximate the entire problem space. This approach implicitly assumes that all data points follow the same underlying function. However, in reality, there are problems that cannot be adequately solved by a single global model. For instance, functions with local complexities (e.g., Fig 2) or discontinuities (e.g., Fig. 3a) pose significant challenges. Such problems are frequently encountered in real-world applications, including stock price prediction [Tang *et al.*, 2019] and multi-stage control system analysis [Gandomi and Alavi, 2011].

To address these concerns, the X Classifier System for Function Approximation (XCSF) [Wilson, 2002], a widely

studied evolutionary rule-based machine learning algorithm [Siddique *et al.*, 2024], may offer a promising solution. XCSF employs a divide-and-conquer approach that adaptively partitions the input space and assigns a distinct approximation model to each local region. XCSF enables localized modeling of complex functions, potentially complementing KAN’s limitations in handling locally complex structures.

This paper proposes X-KAN, a function approximation method that simultaneously utilizes KAN’s high representational power and XCSF’s adaptive partitioning capability. X-KAN represents the entire input space using multiple local KAN models. Specifically, it defines a local region in the rule antecedent (i.e., IF part) and implements a KAN model in the rule consequent (i.e., THEN part), expressing local KAN models as rules. These IF-THEN rules are evolutionarily optimized by the XCSF framework. X-KAN is expected to improve approximation accuracy for functions with inherent local nonlinearities or discontinuities compared to a conventional single global KAN model.

The contributions of this paper are as follows:

- We integrate KANs into evolutionary rule-based machine learning for the first time by introducing KANs into the XCSF framework. The effectiveness of this idea is demonstrated through artificial and real-world function approximation problems.
- We propose the first algorithm to automatically optimize multiple local KAN models. This results in a significant reduction in testing approximation error compared to conventional single global KAN models. We also explain that this effectiveness is due to XCSF’s fundamental principle of assigning high fitness to local models (i.e., rules) with high generality and accuracy.

Note that recent studies have explored combining multiple KAN models for improved accuracy in various settings. For instance, Ensemble-KAN [De Franceschi *et al.*, 2024] constructs several KANs using different subsets of input features and aggregates their outputs. Federated-KANs [Zeydan *et al.*, 2025] focus on distributed training across federated clients. Unlike these approaches, X-KAN uniquely integrates adaptive input space partitioning with local KAN optimization. Moreover, in contrast to approaches that predefine domain decompositions [Howard *et al.*, 2024], X-KAN simultaneously learns both the optimal partitioning of the input space and the parameters of local KAN models. This dual optimization enables X-KAN to automatically discover and model complex local structures and discontinuities in data, setting it apart from existing methods.

The remainder of this paper is organized as follows. Section 2 provides background on MLPs, KANs, and XCSF. Section 3 presents our proposed algorithm, X-KAN. Section 4 reports and discusses experimental results. Section 5 presents further studies. Finally, Section 6 concludes the paper.

2 Background

2.1 MLPs and KANs

Multi-Layer Perceptrons (MLPs)

Multi-Layer Perceptrons (MLPs) are feedforward neural network architectures widely studied for function approximation

problems. For a three-layer MLP with n inputs, H hidden nodes, and a single output, the forward computation can be expressed in matrix form as:

$$\text{MLP}(\mathbf{x}) = \mathbf{w}^{(2)} \circ \sigma(\mathbf{W}^{(1)} \circ \mathbf{x} + \mathbf{b}^{(1)}) + b^{(2)}, \quad (3)$$

where $\mathbf{W}^{(1)} \in \mathbb{R}^{H \times n}$ is the weight matrix between the input and hidden layers, $\mathbf{w}^{(2)} \in \mathbb{R}^{1 \times H}$ is the weight vector between the hidden and output layers, $\mathbf{b}^{(1)} \in \mathbb{R}^H$ and $b^{(2)} \in \mathbb{R}$ are bias terms, and σ is a fixed nonlinear activation function, e.g., Sigmoid-weighted Linear Unit (SiLU) [Elfwing *et al.*, 2018]. The MLP architecture is illustrated in Appendix A. According to [Yu *et al.*, 2024], the total number of parameters for this three-layer MLP, denoted as N_{MLP} , is:

$$N_{\text{MLP}} = (nH + H) + (H + 1) = H(n + 2) + 1. \quad (4)$$

Based on the Universal Approximation Theorem (UAT) [Hornik *et al.*, 1989], MLPs with a single hidden layer can approximate any continuous function on compact subsets of \mathbb{R}^n to arbitrary precision, as detailed in Appendix B. However, MLPs often require a large number of parameters to approximate complex functions [Mohan *et al.*, 2024].

Kolmogorov-Arnold Networks (KANs)

Kolmogorov-Arnold Networks (KANs) are neural networks designed based on the Kolmogorov-Arnold representation theorem (KART). Further details of KART are provided in Appendix C. For a three-layer KAN with n inputs, the matrix representation is:

$$\text{KAN}(\mathbf{x}) = \phi^{(2)} \circ \Phi^{(1)} \circ \mathbf{x}, \quad (5)$$

where:

$$\Phi^{(1)} = \{\phi_{q,p}^{(1)} : [0, 1] \rightarrow \mathbb{R} \mid p = 1, \dots, 2n+1; q = 1, \dots, n\} \quad (6)$$

represents the first layer as a collection of learnable univariate activation functions, and:

$$\phi^{(2)} = \{\phi_p^{(2)} : \mathbb{R} \rightarrow \mathbb{R} \mid p = 1, \dots, 2n+1\} \quad (7)$$

represents the second layer as a collection of learnable univariate activation functions. The KAN model expressed in Eq. (5) is mathematically equivalent to the KART formulation, which is presented in Eq. (20) of Appendix C.

Each activation function $\phi(x)$ is parameterized as:

$$\phi(x) = w_b \cdot \text{SiLU}(x) + w_s \cdot \text{spline}(x), \quad (8)$$

where $\text{SiLU}(x) = x/(1+e^{-x})$, $\text{spline}(x) = \sum_{i=1}^{G+K} c_i B_i(x)$ with B-spline basis functions $B_i(x)$ [De Boor, 1978], and c_i s, w_b , and w_s are optimized via backpropagation. The KAN architecture is illustrated in Appendix A. According to [Yu *et al.*, 2024], the total number of parameters for this three-layer KAN, denoted as N_{KAN} , is:

$$N_{\text{KAN}} = (2n^2 + 3n + 1)(G + K) + (6n^2 + 11n + 5), \quad (9)$$

where G is the number of B-spline grids and K is the B-spline degree.

Unlike MLPs, which use a fixed activation function at each node, KANs implement a learnable activation function on

each edge between nodes. This design allows KANs to capture complex nonlinear relations more efficiently than MLPs. By leveraging KART, a KAN model handles the learning of a high-dimensional function as the learning of multiple univariate functions. This enables KANs to achieve higher parameter efficiency compared to MLPs, especially for problems involving complex data [Liu *et al.*, 2024]. However, it is important to note that KART guarantees representations only for continuous functions. As a result, KAN may struggle to approximate discontinuous functions effectively.

2.2 XCSF

Overview

Wilson’s X Classifier System for Function Approximation (XCSF) [2002] is a rule-based piecewise function approximation method that implements linear regression models in rule consequents and hyperrectangular partitions in rule antecedents.¹ XCSF combines evolutionary algorithms (EA) and stochastic gradient descent to generate general linear models with wide matching ranges in rule antecedents.

The key characteristics of XCSF are twofold. First, XCSF employs a subsumption operator [Wilson, 1998] that aggregates multiple similar rules into a single, more general rule. Second, XCSF evaluates rule fitness based on both the number of aggregated rules and approximation error, optimizing the rule structure based on this fitness. Based on these two characteristics, XCSF promotes the acquisition of general linear models and realizes its fundamental principle of efficiently approximating data points with as few linear models as possible. Appendix D provides further details of XCSF.

Extensions

Since Wilson [2002] proposed XCSF, various extensions have been developed. For rule consequents, polynomial models [Lanzi *et al.*, 2005], MLPs [Lanzi and Loiacono, 2006], support vector machines [Loiacono *et al.*, 2007], and radial basis functions [Stein *et al.*, 2018] have been proposed to enable the approximation of more complex nonlinear functions. For rule antecedents, hyperellipsoids [Butz *et al.*, 2008], curved polytopes [Shiraishi *et al.*, 2022], convex hulls [Lanzi and Wilson, 2006], gene expression programming [Wilson, 2006], and MLPs [Bull and O’Hara, 2002] have been introduced to achieve more flexible input space partitions. These extensions contribute to improving XCSF’s approximation accuracy. Recently, XCSF was first applied to unsupervised autoencoding tasks by using MLPs as rule antecedents and autoencoders as rule consequents [Preen *et al.*, 2021].

These extensions show XCSF’s extensibility and validate XCSF’s core principle of decomposing complex input spaces through rules. Our proposed integration of KAN into XCSF’s rule consequents leverages KAN’s universal approximation capabilities [Hecht-Nielsen, 1987], guaranteed by KART, to

achieve superior approximation accuracy compared to traditional XCSF approaches.

3 X-KAN

We introduce X-KAN, a function approximation method that optimizes multiple local KAN models. Fig. 1 schematically illustrates X-KAN. X-KAN leverages the strengths of KAN’s high expressiveness and XCSF’s adaptive partitioning to address the limitations of conventional global function approximators. X-KAN has three key characteristics:

- *Local KAN Rules.* Each rule in X-KAN consists of an antecedent defined as an n -dimensional hyperrectangle and a consequent implemented as a single KAN model. This structure allows each rule to play a role as a local function approximator, activating only for the local region specified by its antecedent.
- *Dual Optimization.* Utilizing the XCSF framework, X-KAN constructs general and accurate local KAN models with wide matching ranges. The rule antecedents are optimized through the EA, while the rule consequents (local KAN models) are optimized via backpropagation. This dual optimization enables X-KAN to adaptively place optimal local KAN models in each local region.
- *Divide-and-Conquer.* Unlike KAN that operates as a single global function approximator, X-KAN functions as a divide-and-conquer algorithm by integrating multiple local KAN models having distinct activation functions.

3.1 Rule Representation

An n -dimensional rule k in X-KAN is expressed as:

$$\text{Rule } k : \text{IF } x_1 \in [l_1^k, u_1^k] \text{ and } \dots \text{ and } x_n \in [l_n^k, u_n^k] \\ \text{THEN } y = \text{KAN}^k(\mathbf{x}) \text{ WITH } F^k, \quad (10)$$

where:

- $\mathbf{A}^k = (\mathbf{l}^k, \mathbf{u}^k) = (l_i^k, u_i^k)_{i=1}^n$ is the antecedent as a hyperrectangle with bounds $\mathbf{l}^k, \mathbf{u}^k \in [0, 1]^n$ and $l_i^k < u_i^k$ for all i [Stone and Bull, 2003];
- $\text{KAN}^k(\cdot)$ is the consequent KAN model of rule k ;
- $F^k \in (0, 1]$ is the fitness value that evaluates both accuracy and generality of rule k .




Figure 1: An example of a ruleset of X-KAN with three rules, k_1 , k_2 , and k_3 , in an input space $[0, 1]^2$. X-KAN partitions the input space into local hyperrectangular regions defined by rule antecedents and performs local function approximation within each region using a KAN model implemented in the rule consequent. Appendix E schematically illustrates the architecture of X-KAN.

¹XCSF is a representative method of Learning Classifier Systems (LCS) [Urbanowicz and Browne, 2017], a family of rule-based machine learning algorithms. Historically, rules in LCS, including XCSF, are called *classifiers* even when they work as regression models rather than classification models [Pätzelt and Hähner, 2022]. To avoid this ambiguity in terminology, we use the term *rule*.

Algorithm 1 X-KAN training mode

Input: the training dataset $\mathcal{D} = (\mathcal{X}, \mathcal{Y}) = \{(\mathbf{x}, y) \in [0, 1]^n \times \mathbb{R}\}$;
Output: the compacted ruleset \mathcal{P}_C ;

```

1: Initialize time  $t$  as  $t \leftarrow 0$ ;
2: Initialize ruleset  $\mathcal{P}$  as  $\mathcal{P} \leftarrow \emptyset$ ;
3: while  $t <$  the maximum number of iterations do
4:   Observe a data point  $(\mathbf{x}, y) \in \mathcal{D}$ ;
5:   Create match set  $\mathcal{M} \subseteq \mathcal{P}$  as in Eq. (11);
6:   if  $\mathcal{M} = \emptyset$  then
7:     Do covering to generate a new rule  $k_c$ ;
8:     Insert  $k_c$  to  $\mathcal{P}$  and  $\mathcal{M}$ ;
9:   end if
10:  Update  $F^k$  for  $\forall k \in \mathcal{M}$  as in Eq. (16);
11:  if  $t - \sum_{k \in \mathcal{M}} \text{num}^k \cdot \text{ts}^k / \sum_{k \in \mathcal{M}} \text{num}^k > \theta_{\text{EA}}$  then
12:    Update time stamp  $\text{ts}^k$  for  $\forall k \in \mathcal{M}$  as  $\text{ts}^k \leftarrow t$ ;
13:    Run EA on  $\mathcal{M}$ ;
14:    Do subsumption;
15:  end if
16:  Update time  $t$  as  $t \leftarrow t + 1$ ;
17: end while
18: Create compacted ruleset  $\mathcal{P}_C \subseteq \mathcal{P}$  as in Eq. (17);
19: return  $\mathcal{P}_C$ 
    
```

Each rule k maintains four key parameters: (i) *Error* $\epsilon^k \in \mathbb{R}_0^+$, representing absolute approximation error of the consequent KAN model; (ii) *Accuracy* $\kappa^k \in (0, 1]$, calculated based on the error; (iii) *Generality* $\text{num}^k \in \mathbb{N}_0$, indicating the number of aggregated rules; and (iv) *Time stamp* $\text{ts}^k \in \mathbb{N}_0$, representing the last time the rule was a candidate for the EA.

\mathbf{A}^k , $\text{KAN}^k(\cdot)$, ϵ^k , and κ^k are uniquely determined and fixed when a rule is generated, either during the covering operation or by the EA. In contrast, F^k , num^k , and ts^k are dynamically updated throughout the training process.

3.2 Algorithm

X-KAN operates in two distinct modes: training mode and testing mode. In training mode, X-KAN explores the search space to identify an accurate and general ruleset using a training dataset. Afterward, it performs rule compaction to produce a compact ruleset, denoted as \mathcal{P}_C . In testing mode, \mathcal{P}_C is used to predict the output for testing data points.

Training Mode

Algorithm 1 presents our algorithm for X-KAN training.

Match Set Formation and Covering Operation. Let \mathcal{P} be the current population of rules. At time t , a data point (\mathbf{x}, y) is randomly sampled from the training dataset \mathcal{D} (line 4). Subsequently, a match set \mathcal{M} is formed as (line 5):

$$\mathcal{M} = \{k \in \mathcal{P} \mid \mathbf{x} \in \mathbf{A}^k\}. \quad (11)$$

If $\mathcal{M} = \emptyset$, a new rule k_c satisfying $\mathbf{x} \in \mathbf{A}^{k_c}$ is generated and inserted into both \mathcal{P} and \mathcal{M} (lines 6–9). This operation is referred to as covering [Wilson, 2002]. Specifically, using hyperparameters $r_0 \in (0, 1]$ and $P_{\#} \in [0, 1]$, the antecedent of k_c , $\mathbf{A}^{k_c} = (\mathbf{1}^{k_c}, \mathbf{u}^{k_c})$, is determined as:

$$\left(l_i^{k_c}, u_i^{k_c}\right)_{i=1}^n = \begin{cases} (0, 1) & \text{if } \mathcal{U}[0, 1] < P_{\#}, \\ (x_i - \mathcal{U}(0, r_0], x_i + \mathcal{U}(0, r_0]) & \text{otherwise,} \end{cases} \quad (12)$$

where $\mathcal{U}(0, r_0]$ represents a random number uniformly sampled from the range $(0, r_0]$. Eq. (12) ensures that the range for x_i is set to *Don't Care* with probability $P_{\#}$, while otherwise it is set to a region encompassing x_i , based on the hyperparameter r_0 . Next, the subset of data points within the range of k_c , denoted as \mathcal{D}_{k_c} , is constructed as:

$$\mathcal{D}_{k_c} = \{(\mathbf{x}, y) \in \mathcal{D} \mid \mathbf{x} \in \mathbf{A}^{k_c}\}. \quad (13)$$

Using this dataset, the local KAN model of k_c , $\text{KAN}^{k_c}(\cdot)$, is trained via backpropagation for a specified number of epochs. The error of k_c , ϵ^{k_c} , is then calculated as:

$$\epsilon^{k_c} = \frac{1}{|\mathcal{D}_{k_c}|} \sum_{(\mathbf{x}, y) \in \mathcal{D}_{k_c}} |y - \text{KAN}^{k_c}(\mathbf{x})|. \quad (14)$$

The error serves as the absolute error for the consequent KAN model of the rule. After that, the accuracy of k_c , κ^{k_c} , is calculated as:

$$\kappa^{k_c} = \begin{cases} 1 & \text{if } \epsilon^{k_c} < \epsilon_0, \\ \epsilon_0 / \epsilon^{k_c} & \text{otherwise,} \end{cases} \quad (15)$$

where $\epsilon_0 \in \mathbb{R}^+$ is a target error threshold (hyperparameter). Subsequently, key parameters are initialized as follows: $F^{k_c} = 0.01$, $\text{num}^{k_c} = 1$, and $\text{ts}^{k_c} = 0$.

Rule Fitness Update. The fitness of each rule $k \in \mathcal{M}$ is updated using the Widrow-Hoff learning rule [Widrow and Hoff, 1960] as (line 10):

$$F^k \leftarrow F^k + \beta \left(\frac{\kappa^k \cdot \text{num}^k}{\sum_{q \in \mathcal{M}} \kappa^q \cdot \text{num}^q} - F^k \right), \quad (16)$$

where $\beta \in [0, 1]$ is the learning rate. As indicated by Eq. (15), X-KAN (based on XCSF) defines a rule k as *accurate* when its approximation error satisfies $\epsilon^k < \epsilon_0$ (i.e., $\kappa^k = 1$). Consequently, the fitness F^k , as defined in Eq. (16), assigns higher values to rules with both smaller approximation errors ϵ^k (i.e., higher accuracy κ^k) and larger generality num^k .

Application of the EA. After updating the rules, the EA is applied to \mathcal{M} (lines 11–15). The EA is triggered when the average time since its last application over all rules in \mathcal{M} exceeds a threshold defined by the hyperparameter θ_{EA} . In this case, two parent rules k_{p_1} and k_{p_2} are selected from \mathcal{M} using tournament selection with a tournament size of τ . The selected parent rules are duplicated to create two offspring rules k_{o_1} and k_{o_2} . Crossover is applied to their antecedents with a probability of χ . During crossover, for each input dimension i , the lower bound l_i and the upper bound u_i are swapped between the two parents with a probability of 0.5 (i.e., uniform crossover). Subsequently, mutation is applied to each input dimension of the offspring with a probability of μ . In mutation, a random value sampled from a uniform distribution, $\mathcal{U}[-m_0, m_0]$, is added to the bounds $l_i^{k_o}$ and $u_i^{k_o}$, where $k_o \in \{k_{o_1}, k_{o_2}\}$ and $m_0 \in \mathbb{R}^+$ is the maximum mutation magnitude. If the resulting offspring rules k_o have antecedents that differ from their parents, their parameters are reinitialized as follows:

1. Construct the subset of data points within the antecedent range of k_o , denoted as \mathcal{D}_{k_o} , using Eq. (13).

2. Initialize $\text{KAN}^{k_o}(\cdot)$ and train it via backpropagation for a specified number of epochs.
3. Calculate ϵ^{k_o} and κ^{k_o} using Eqs. (14) and (15).
4. Set $F^{k_o} = 0.1 \cdot f$, where $f = (F^{k_{p1}} + F^{k_{p2}})/2$ if crossover occurs; otherwise, $f = F^{k_o}$. Set $\text{num}^{k_o} = 1$.

Finally, k_{o1} and k_{o2} are added to \mathcal{P} if they are not subsumed by their parent rules (described below). If the total generality in \mathcal{P} , $\sum_{k \in \mathcal{P}} \text{num}^k$, exceeds the maximum ruleset size N , two rules are deleted, as in [Preen *et al.*, 2021].

Subsumption Operator. X-KAN employs a subsumption operator [Wilson, 1998] to aggregate offspring rules into more general parent rules (line 14). Specifically, for a parent rule $k_p \in \{k_{p1}, k_{p2}\}$ and an offspring rule $k_o \in \{k_{o1}, k_{o2}\}$:

1. The parent rule must be more general than the offspring rule (i.e., $\mathbf{A}^{k_p} \supseteq \mathbf{A}^{k_o}$).
2. The parent rule must be accurate (i.e., $\kappa^{k_p} = 1$).

If these conditions are met, the generality of the parent rule is updated as $\text{num}^{k_p} \leftarrow \text{num}^{k_p} + \text{num}^{k_o}$ and the offspring rule k_o is removed from \mathcal{P} .

Rule Compaction. After the training is completed, the rule compaction algorithm [Orriols-Puig *et al.*, 2008] is applied to obtain a compacted ruleset, denoted as \mathcal{P}_C (line 18). The compacted ruleset is defined as:

$$\mathcal{P}_C = \bigcup_{\mathbf{x} \in \mathcal{D}} \left\{ \arg \max_{k \in \mathcal{M}} F^k \right\}. \quad (17)$$

For each training data point \mathbf{x} , only the rule with the highest fitness (called *single winner* rule) in its match set $\mathcal{M} = \{k \in \mathcal{P} \mid \mathbf{x} \in \mathbf{A}^k\}$ is copied to \mathcal{P}_C . Appendix H.1 shows that the compaction enables X-KAN to reduce the number of rules by up to 72% while maintaining approximation accuracy.

Testing Mode

For a testing data point \mathbf{x}_{te} , X-KAN computes the predicted value \hat{y}_{te} using \mathcal{P}_C , obtained during the training mode, and the single winner-based inference scheme [Ishibuchi *et al.*, 1999]. The prediction is calculated as:

$$\hat{y}_{\text{te}} = \text{KAN}^{k^*}(\mathbf{x}_{\text{te}}), \quad \text{where } k^* = \arg \max_{k \in \mathcal{M}_{\text{te}}} (F^k), \quad (18)$$

with $\mathcal{M}_{\text{te}} = \{k \in \mathcal{P}_C \mid \mathbf{x}_{\text{te}} \in \mathbf{A}^k\}$ as the testing match set and k^* as the single winner rule. This inference ensures that only the rule with the highest fitness, which reflects both accuracy and generality, contributes to the prediction.

4 Experiments

4.1 Experimental Setup

We evaluate X-KAN’s performance on eight function approximation problems: four test functions shown in Fig. 2 from [Stein *et al.*, 2018] and four real-world datasets from [Heider *et al.*, 2023]. For details of these problems, kindly refer to Appendices F and G. For each test function, we uniformly sample 1,000 data points to create a dataset.

We compare X-KAN against three baseline methods: XCSF, MLP, and KAN. Through the comparison with XCSF, we validate the effectiveness of extending rule consequents

from linear models to KAN models. The comparison with MLP, a standard baseline in machine learning, allows us to evaluate X-KAN’s overall performance. Finally, comparing X-KAN with KAN enables us to examine the benefits of extending from a single global model to multiple local models.

The hyperparameters for XCSF and X-KAN are set to $r_0 = 1.0$, $P_{\#} \in \{0.0 \text{ (test functions)}, 0.8 \text{ (real-world datasets)}\}$, $\epsilon_0 = 0.02$, $\beta = 0.2$, $\theta_{\text{EA}} = 100$, $\tau = 0.4$, $\chi = 0.8$, $\mu = 0.04$, $m_0 = 0.1$, and $N = 50$. The maximum number of training iterations for XCSF and X-KAN is 10 epochs. The same architecture in Eq. (5) is used for KAN and each rule in X-KAN, which consists of three layers with $2n + 1$ nodes in the hidden layer, where $G = 3$ and $K = 3$ for B-spline parameters. The three-layer MLP architecture in Eq. (3) with H hidden nodes is used together with SiLU activation functions. For a fair comparison, H is set for each problem such that the total number of parameters in MLP (N_{MLP} in Eq. (4)) equals that of KAN (N_{KAN} in Eq. (9))². All network hyperparameters follow the original KAN authors’ implementation³, with training conducted for 10 epochs. Input features are normalized to $[0, 1]$, and data targets are normalized to $[-1, 1]$.

Performance evaluation uses Mean Absolute Error (MAE) on test data over 30 trials of Monte Carlo cross-validation, with 90% training and 10% testing data splits. Statistical significance is assessed through Wilcoxon signed-rank tests ($\alpha = 0.05$) for each problem, while overall performance is compared using Friedman tests with Holm corrections, reporting both raw and Holm-adjusted p -values.

4.2 Results


Table 1 presents the testing MAE of each method and the number of rules in the compacted ruleset \mathcal{P}_C of XCSF and X-KAN at the end of training. For XCSF and X-KAN, the MAE values are calculated using their compacted rulesets.

The results show that X-KAN achieves significantly lower testing MAE than all baseline methods across all problems, with statistical significance confirmed by Holm-adjusted p -values ($p_{\text{Holm}} < 0.05$). Regarding the number of rules, XCSF generates 6.2 rules on average while X-KAN generates 7.2 rules. Although X-KAN generates slightly more rules than XCSF, this difference is not statistically significant ($p = 0.461$). Appendix H.2 shows that X-KAN’s training MAE is also significantly lower than those of the baseline methods. These findings demonstrate that X-KAN outperforms XCSF, MLP, and KAN in function approximation accuracy while maintaining compact rulesets.

Note that during inference, X-KAN uses only a single rule with an identical parameter count to the (global) KAN, ensuring a fair comparison of their core approximation capabilities. Appendix H.3 shows that X-MLP, which replaces KANs with MLPs in our framework, outperforms the global MLP but is still outperformed by X-KAN. Appendix H.4 shows that X-KAN significantly outperforms WideKAN, which expands the hidden layer to match X-KAN’s total parameter

²For example, in a two-dimensional input problem ($n = 2$), KAN has $(2 \cdot 2^2 + 3 \cdot 2 + 1)(3 + 3) + (6 \cdot 2^2 + 11 \cdot 2 + 5) = 141$ parameters. Therefore, H is set to 35 for MLP to match this parameter count, as $35 \cdot (2 + 2) + 1 = 141$.

³<https://github.com/KindXiaoming/pykan>


 Figure 2: The two-dimensional test functions f_1 - f_4 .

8 DATASETS				TESTING MEAN ABSOLUTE ERROR (MAE)				#RULES IN \mathcal{P}_C	
Abbr.	Name	#Instances	n	XCSF	MLP	KAN	X-KAN	XCSF	X-KAN
f_1	Eggholder Function	1000	2	0.27970 –	0.27170 –	0.22220 –	0.16970	5.600 +	9.200
f_2	Sine-in-Sine Function	1000	2	0.64870 –	0.63820 –	0.44610 –	0.12730	4.600 +	10.50
f_3	Cross Function	1000	2	0.33190 –	0.30570 –	0.06662 –	0.02379	6.767 –	4.867
f_4	Styblinski-Tang Function	1000	2	0.18070 –	0.24100 –	0.12850 –	0.06922	4.833 +	6.400
ASN	Airfoil Self-Noise	1503	5	0.19240 –	0.19990 –	0.08407 –	0.05533	5.633 +	7.900
CCPP	Combined Cycle Power Plant	9548	4	0.09288 –	0.09521 –	0.08684 –	0.07871	8.567 ~	7.800
CS	Concrete Strength	1030	8	0.19050 –	0.16490 –	0.08833 –	0.07842	7.233 ~	7.900
EEC	Energy Efficiency Cooling	768	8	0.12560 –	0.12290 –	0.05232 –	0.02729	6.233 –	2.667
Rank				3.62 $\downarrow^{\dagger\dagger}$	3.38 $\downarrow^{\dagger\dagger}$	2.00 $\downarrow^{\dagger\dagger}$	1.00	1.38 \uparrow	1.62
Number of + / – / ~				0/8/0	0/8/0	0/8/0	-	4/2/2	-
p -value				0.00781	0.00781	0.00781	-	0.461	-
p_{Holm} -value				0.0234	0.0234	0.0234	-	-	-

 Table 1: Dataset characteristics and experimental results. Symbols + / – / ~: significantly better/worse/similar vs. X-KAN (Wilcoxon signed-rank test). Arrows \uparrow / \downarrow : rank improvement/decline vs. X-KAN. $\dagger/\dagger\dagger$: significance at $\alpha = 0.05$ (raw/Holm-adjusted p -values).

count. These results confirm that X-KAN’s advantage stems from its evolutionary search mechanism enabling specialized local approximations, rather than merely from increased parameters—a benefit that cannot be achieved simply by increasing the size of a single global model like WideKAN.

4.3 Discussion

As shown in Fig. 2, f_1 and f_2 exhibit strong nonlinearity, making them challenging for XCSF’s linear models to approximate effectively. This is reflected in Table 1, where XCSF shows the highest MAE for these problems (highlighted in peach). Conversely, XCSF’s linear models perform well on problems with mixed linear and nonlinear characteristics (f_4) and predominantly linear problems (CCPP [Heider *et al.*, 2023]), even outperforming MLP. These results align with previous findings that XCSF’s performance strongly depends on problem linearity [Lanzi *et al.*, 2007].

X-KAN significantly outperforms the compared algorithms for all problems. Most notably, on f_2 , which features strong input interdependencies and high curvature, X-KAN shows large improvement over KAN. Regarding the number of rules, X-KAN generates more rules (9–10) for highly nonlinear problems (f_1 , f_2) and fewer rules (4–6) for problems with lower interdependency and curvature (f_3 , f_4), demonstrating its ability to adjust to problem complexity.

5 Further Studies

5.1 Analysis on a Discontinuous Function

Since KAN is based on KART, which is designed for continuous functions, it may struggle to approximate discontinuous functions effectively. To validate this hypothesis, we conducted experiments using 1,000 data points samples from a discontinuous function with jump discontinuity used in [Shoji *et al.*, 2023], as shown in Fig. 3a. For details of the function, kindly refer to Appendix I. The experimental settings followed Section 4.1, except for $P_{\#} = 0.0$, $r_0 = 0.5$, $\epsilon_0 = 0.01$, maximum training iterations of 50 epochs for XCSF and X-KAN, and 50 epochs for MLP, KAN, and X-KAN’s local KAN models. Figs. 3b and 3c show the prediction plots from the best trials of KAN and X-KAN, respectively. Fig. 3d illustrates the decrease of the testing MAE during rule learning for XCSF and X-KAN, with the final MAE values for MLP and KAN (dashed horizontal lines).

Fig. 3b demonstrates that KAN fails to detect discontinuities, instead producing a smooth continuous function approximation. In contrast, Fig. 3c shows that X-KAN successfully identifies discontinuities and performs piecewise function approximation using three rules. The decreasing MAE trends by XCSF and X-KAN in Fig. 3d validate the effectiveness of local approximation.

These results demonstrate X-KAN’s ability to handle dis-




Figure 3: Performance analysis of each method on a discontinuous function. (c) shows that X-KAN generated three rules.

	TRAINING MAE		TESTING MAE		#RULES IN \mathcal{P}_C	
	X-KAN	X-KAN $_{\kappa}$	X-KAN	X-KAN $_{\kappa}$	X-KAN	X-KAN $_{\kappa}$
f_1	0.10780	0.08943 +	0.16970	0.16880 ~	9.200	18.60 -
f_2	0.07356	0.07860 ~	0.12730	0.12940 ~	10.50	16.30 -
f_3	0.01927	0.01949 ~	0.02379	0.02397 ~	4.867	9.633 -
f_4	0.05171	0.04586 ~	0.06922	0.06070 ~	6.400	11.83 -
ASN	0.03548	0.03073 +	0.05533	0.05461 ~	7.900	19.97 -
CCPP	0.05691	0.05971 ~	0.07871	0.08174 -	7.800	17.53 -
CS	0.02687	0.02497 ~	0.07842	0.08014 ~	7.900	17.40 -
EEC	0.01561	0.01490 ~	0.02729	0.03004 -	2.667	7.367 -
Rank	1.62	1.38 \uparrow	1.38	1.62 \downarrow	1.00	2.00 \downarrow^{\dagger}
+/-/~	-	2/0/6	-	0/2/6	-	0/8/0
p-value	-	0.383	-	0.547	-	0.00781

 Table 2: Comparison of fitness functions: X-KAN (accuracy and generality) vs. X-KAN $_{\kappa}$ (accuracy only). Notation follows Table 1.

continuous functions through its adaptive partitioning approach, overcoming a fundamental limitation of KAN.

5.2 Role of Generality in Fitness

In Table 1, X-KAN never shows higher testing MAE than KAN. This high performance can be attributed to X-KAN (XCSF)’s fundamental principle of assigning fitness based on both accuracy κ^k and generality num^k . To validate this hypothesis, we conducted experiments comparing X-KAN against its variant that assigns fitness solely based on accuracy (denoted as X-KAN $_{\kappa}$). For X-KAN $_{\kappa}$, the fitness update rule was simplified to $F^k \leftarrow \kappa^k$. The experimental settings followed Section 4.1.

In Table 2, X-KAN $_{\kappa}$ achieved significantly lower training MAE than X-KAN on two problems (f_1 , ASN). However, for testing MAE, X-KAN $_{\kappa}$ performed significantly worse than X-KAN on two problems (CCPP, EEC). This performance degradation can be attributed to the increased probability of selecting parent rules with high accuracy but low generality (overfitting to training data) when generality is not considered in fitness calculation. Consequently, X-KAN $_{\kappa}$ generated approximately twice as many rules as X-KAN due to reduced generalization pressure.

These findings demonstrate that considering both accuracy and generality, as implemented in XCSF and X-KAN, is crucial for improving generalization performance in evolutionary rule-based machine learning models.

5.3 Runtime Analysis

Fig. 4 shows the average runtime per trial under an experimental environment running Ubuntu 24.04.1 LTS with an Intel® Core™ i9-13900F CPU (5.60 GHz) and 32GB RAM.




Figure 4: Average runtime per trial. Extensions .jl/.py indicate implementations in Julia/Python.

While MLP, KAN, and local KAN models in X-KAN were implemented in Python by the original KAN authors, the XCSF and X-KAN frameworks were implemented in Julia [Bezanson *et al.*, 2017] by the authors. X-KAN calls Python-based local KAN models from its Julia framework. Note that, due to the mixed-use of programming languages, the runtime comparisons should be interpreted with caution.

As shown in Fig. 4, KAN requires approximately five times more runtime than MLP, mainly due to the computational overhead of recursive B-spline functions [Qiu *et al.*, 2024]. Furthermore, X-KAN requires approximately seven times more runtime than KAN, as each rule’s consequent implements a separate KAN model that must be trained.

One idea to decrease the runtime of X-KAN is to decrease the number of rules by increasing the generality of each rule. For example, dynamic adjustment of the target error threshold ϵ_0 used in subsumption operations [Hansmeier *et al.*, 2020] can reduce the total number of rules and shorten runtime.

6 Concluding Remarks

We introduced X-KAN which optimizes multiple local KAN models through an evolutionary framework based on XCSF. By defining local regions via rule antecedents and implementing local KAN models as rule consequents, X-KAN effectively combines KAN’s expressiveness with XCSF’s adaptive partitioning capability. Our experimental results showed that X-KAN significantly outperforms XCSF, MLP, and KAN for various function approximation problems with 7.2 rules on average. This improvement stems from X-KAN (XCSF)’s principle of assigning fitness based on both accuracy and generality, ensuring high generalization performance.

Future work will explore extending X-KAN as a piecewise symbolic regressor capable of extracting interpretable expressions inspired by [Chen *et al.*, 2024; Liu *et al.*, 2024].

Acknowledgments

This work was supported by JSPS KAKENHI (Grant Nos. JP23KJ0993, JP25K03195), National Natural Science Foundation of China (Grant No. 62376115), and Guangdong Provincial Key Laboratory (Grant No. 2020B121201001).

References

- [Arnol'd, 1957] Vladimir Igorevich Arnol'd. On functions of three variables. In *Doklady Akademii Nauk*, volume 114, pages 679–681. Russian Academy of Sciences, 1957.
- [Bao *et al.*, 2022] Dan Bao, Xiaoling Liang, Shuzhi Sam Ge, and Baolin Hou. Adaptive neural trajectory tracking control for n-dof robotic manipulators with state constraints. *IEEE Transactions on Industrial Informatics*, 19(7):8039–8048, 2022.
- [Bezanson *et al.*, 2017] Jeff Bezanson, Alan Edelman, Stefan Karpinski, and Viral B Shah. Julia: A fresh approach to numerical computing. *SIAM review*, 59(1):65–98, 2017.
- [Bull and O'Hara, 2002] Larry Bull and Toby O'Hara. Accuracy-based neuro and neuro-fuzzy classifier systems. In *Proceedings of the 4th Annual Conference on Genetic and Evolutionary Computation*, pages 905–911, 2002.
- [Butz *et al.*, 2008] Martin V Butz, Pier Luca Lanzi, and Stewart W Wilson. Function approximation with XCS: Hyperellipsoidal conditions, recursive least squares, and compaction. *IEEE Transactions on Evolutionary Computation*, 12(3):355–376, 2008.
- [Chen *et al.*, 2024] Xia Chen, Guoquan Lv, Xinwei Zhuang, Carlos Duarte, Stefano Schiavon, and Philipp Geyer. Integrating symbolic neural networks with building physics: A study and proposal. *arXiv preprint arXiv:2411.00800*, 2024.
- [Cheon, 2024] Minjong Cheon. Kolmogorov-arnold network for satellite image classification in remote sensing. *arXiv preprint arXiv:2406.00600*, 2024.
- [Cybenko, 1989] George Cybenko. Approximation by superpositions of a sigmoidal function. *Mathematics of control, signals and systems*, 2(4):303–314, 1989.
- [De Boor, 1978] Carl De Boor. A practical guide to splines. *Springer-Verlag google schola*, 2:4135–4195, 1978.
- [De Franceschi *et al.*, 2024] Gianluca De Franceschi, Inês W Sampaio, Stefan Borgwardt, Joseph Kambeitz, Lana Kambeitz-Ilankovic, Eva Meisenzahl, Raimo KR Salokangas, Rachel Upthegrove, Stephen J Wood, Nikolaos Koutsouleris, et al. Ensemble-kan: Leveraging kolmogorov arnold networks to discriminate individuals with psychiatric disorders from controls. In *International Workshop on Applications of Medical AI*, pages 186–197. Springer, 2024.
- [de Zarzà *et al.*, 2023] I de Zarzà, J de Curtò, and Carlos T Calafate. Optimizing neural networks for imbalanced data. *Electronics*, 12(12):2674, 2023.
- [Elfving *et al.*, 2018] Stefan Elfving, Eiji Uchibe, and Kenji Doya. Sigmoid-weighted linear units for neural network function approximation in reinforcement learning. *Neural networks*, 107:3–11, 2018.
- [Gandomi and Alavi, 2011] Amir Hossein Gandomi and Amir Hossein Alavi. Multi-stage genetic programming: a new strategy to nonlinear system modeling. *Information Sciences*, 181(23):5227–5239, 2011.
- [Hansmeier *et al.*, 2020] Tim Hansmeier, Paul Kaufmann, and Marco Platzner. An adaption mechanism for the error threshold of XCSF. In *Proceedings of the 2020 Genetic and Evolutionary Computation Conference Companion*, pages 1756–1764, 2020.
- [Hecht-Nielsen, 1987] Robert Hecht-Nielsen. Kolmogorov's mapping neural network existence theorem. In *Proceedings of the international conference on Neural Networks*, volume 3, pages 11–14. IEEE press, 1987.
- [Heider *et al.*, 2023] Michael Heider, Helena Stegherr, Roman Sraj, David Pätz, Jonathan Wurth, and Jörg Hähner. Suprb in the context of rule-based machine learning methods: A comparative study. *Applied Soft Computing*, 147:110706, 2023.
- [Hornik *et al.*, 1989] Kurt Hornik, Maxwell Stinchcombe, and Halbert White. Multilayer feedforward networks are universal approximators. *Neural networks*, 2(5):359–366, 1989.
- [Howard *et al.*, 2024] Amanda A Howard, Bruno Jacob, Sarah H Murphy, Alexander Heinlein, and Panos Stinis. Finite basis kolmogorov-arnold networks: domain decomposition for data-driven and physics-informed problems. *arXiv preprint arXiv:2406.19662*, 2024.
- [Ishibuchi *et al.*, 1999] Hisao Ishibuchi, Tomoharu Nakashima, and Tadahiko Murata. Performance evaluation of fuzzy classifier systems for multidimensional pattern classification problems. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 29(5):601–618, 1999.
- [Kolmogorov, 1961] Andreï Nikolaevich Kolmogorov. *On the representation of continuous functions of several variables by superpositions of continuous functions of a smaller number of variables*. American Mathematical Society, 1961.
- [Lanzi and Loiacono, 2006] Pier Luca Lanzi and Daniele Loiacono. XCSF with neural prediction. In *2006 IEEE international conference on Evolutionary Computation*, pages 2270–2276. IEEE, 2006.
- [Lanzi and Wilson, 2006] Pier Luca Lanzi and Stewart W Wilson. Using convex hulls to represent classifier conditions. In *Proceedings of the 8th annual conference on Genetic and evolutionary computation*, pages 1481–1488, 2006.
- [Lanzi *et al.*, 2005] Pier Luca Lanzi, Daniele Loiacono, Stewart W Wilson, and David E Goldberg. Extending XCSF beyond linear approximation. In *Proceedings of the 7th annual conference on Genetic and evolutionary computation*, pages 1827–1834, 2005.

- [Lanzi *et al.*, 2007] Pier Luca Lanzi, Daniele Loiacono, Stewart W Wilson, and David E Goldberg. Generalization in the XCSF classifier system: Analysis, improvement, and extension. *Evolutionary Computation*, 15(2):133–168, 2007.
- [Liu *et al.*, 2024] Ziming Liu, Yixuan Wang, Sachin Vaidya, Fabian Ruehle, James Halverson, Marin Soljačić, Thomas Y Hou, and Max Tegmark. KAN: Kolmogorov-arnold networks. *arXiv preprint arXiv:2404.19756*, 2024.
- [Livieris, 2024] Ioannis E Livieris. C-kan: A new approach for integrating convolutional layers with kolmogorov-arnold networks for time-series forecasting. *Mathematics*, 12(19):3022, 2024.
- [Loiacono *et al.*, 2007] Daniele Loiacono, Andrea Marelli, and Pier Luca Lanzi. Support vector regression for classifier prediction. In *Proceedings of the 9th annual conference on Genetic and evolutionary computation*, pages 1806–1813, 2007.
- [Mirza *et al.*, 2024] Fuat Kaan Mirza, Tunçer Baykaş, Mustafa Hekimoğlu, Önder Pekcan, and Gönül Paçacı Tunçay. Decoding compositional complexity: Identifying composers using a model fusion-based approach with nonlinear signal processing and chaotic dynamics. *Chaos, Solitons & Fractals*, 187:115450, 2024.
- [Mohan *et al.*, 2024] Karthik Mohan, Hanxiao Wang, and Xiatian Zhu. Kans for computer vision: An experimental study. *arXiv preprint arXiv:2411.18224*, 2024.
- [Narayanan *et al.*, 2021] Deepak Narayanan, Mohammad Shoeybi, Jared Casper, Patrick LeGresley, Mostofa Patwary, Vijay Korthikanti, Dmitri Vainbrand, Prethvi Kashinkunti, Julie Bernauer, Bryan Catanzaro, et al. Efficient large-scale language model training on gpu clusters using megatron-lm. In *Proceedings of the International Conference for High Performance Computing, Networking, Storage and Analysis*, pages 1–15, 2021.
- [Orriols-Puig *et al.*, 2008] Albert Orriols-Puig, Jorge Casillas, and Ester Bernadó-Mansilla. Fuzzy-UCS: a michigan-style learning fuzzy-classifier system for supervised learning. *IEEE Transactions on Evolutionary Computation*, 13(2):260–283, 2008.
- [Pätzel and Hähner, 2022] David Pätzel and Jörg Hähner. The bayesian learning classifier system: implementation, replicability, comparison with XCSF. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 413–421, 2022.
- [Preen *et al.*, 2021] Richard J. Preen, Stewart W. Wilson, and Larry Bull. Autoencoding with a classifier system. *IEEE Transactions on Evolutionary Computation*, 25(6):1079–1090, 2021.
- [Qiu *et al.*, 2024] Ruichen Qiu, Yibo Miao, Shiwen Wang, Lijia Yu, Yifan Zhu, and Xiao-Shan Gao. PowerMLP: An efficient version of KAN. *arXiv preprint arXiv:2412.13571*, 2024.
- [Shiraishi *et al.*, 2022] Hiroki Shiraishi, Yohei Hayamizu, Hiroyuki Sato, and Keiki Takadama. Beta distribution based XCS classifier system. In *2022 IEEE Congress on Evolutionary Computation (CEC)*, pages 1–8. IEEE, 2022.
- [Shoji *et al.*, 2023] Takaharu Shoji, Masaki Kuriyama, and Masaya Nakata. Piecewise symbolic regression by evolutionary rule-based learning with genetic programming. *IPSI Transactions on Mathematical Modeling and its Applications (TOM)*, 16(2):36–49, 2023.
- [Siddique *et al.*, 2024] Abubakar Siddique, Michael Heider, Muhammad Iqbal, and Hiroki Shiraishi. A survey on learning classifier systems from 2022 to 2024. In *Proceedings of the Genetic and Evolutionary Computation Conference Companion*, pages 1797–1806, 2024.
- [Somvanshi *et al.*, 2024] Shriyank Somvanshi, Syed Aaqib Javed, Md Monzurul Islam, Diwas Pandit, and Subasish Das. A survey on kolmogorov-arnold network. *arXiv preprint arXiv:2411.06078*, 2024.
- [Stein *et al.*, 2018] Anthony Stein, Simon Menssen, and Jörg Hähner. What about interpolation? a radial basis function approach to classifier prediction modeling in XCSF. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 537–544, 2018.
- [Stone and Bull, 2003] Christopher Stone and Larry Bull. For real! XCS with continuous-valued inputs. *Evolutionary Computation*, 11(3):299–336, 2003.
- [Tang *et al.*, 2019] Huimin Tang, Peiwu Dong, and Yong Shi. A new approach of integrating piecewise linear representation and weighted support vector machine for forecasting stock turning points. *Applied Soft Computing*, 78:685–696, 2019.
- [Urbanowicz and Browne, 2017] Ryan J Urbanowicz and Will N Browne. *Introduction to learning classifier systems*. Springer, 2017.
- [Widrow and Hoff, 1960] Bernard Widrow and Marcian E Hoff. Adaptive switching circuits. Technical report, Stanford Univ Ca Stanford Electronics Labs, 1960.
- [Wilson, 1998] Stewart W Wilson. Generalization in the XCS classifier system. *Proc. Genetic Programming*, 1998.
- [Wilson, 2002] Stewart W Wilson. Classifiers that approximate functions. *Natural Computing*, 1(2):211–234, 2002.
- [Wilson, 2006] Stewart W Wilson. Classifier conditions using gene expression programming. In *International Workshop on Learning Classifier Systems*, pages 206–217. Springer, 2006.
- [Xu *et al.*, 2024] Kunpeng Xu, Lifei Chen, and Shengrui Wang. Kolmogorov-arnold networks for time series: Bridging predictive power and interpretability. *arXiv preprint arXiv:2406.02496*, 2024.
- [Yu *et al.*, 2024] Runpeng Yu, Weihao Yu, and Xinchao Wang. KAN or MLP: A fairer comparison. *arXiv preprint arXiv:2407.16674*, 2024.
- [Zeydan *et al.*, 2025] Engin Zeydan, Cristian J Vaca-Rubio, Luis Blanco, Roberto Pereira, Marius Caus, and Abdullah Aydeger. F-kans: Federated kolmogorov-arnold networks. In *2025 IEEE 22nd Consumer Communications & Networking Conference (CCNC)*, pages 1–6. IEEE, 2025.